

Publications

2019

Buchholz PCF, Ferrario V, Pohl M, Gardossi L, Pleiss J. 2019. Navigating within thiamine diphosphate-dependent decarboxylases: Sequences, structures, functional positions, and binding sites. *Proteins Struct. Funct. Bioinforma.*: <https://onlinelibrary.wiley.com/doi/abs/10.1002/prot.25706>.

Jäger VD, Piqueray M, Seide S, Pohl M, Wiechert W, Jaeger K-E, Krauss U. 2019. An Enzymatic 2-Step Cofactor and Co-Product Recycling Cascade towards a Chiral 1,2-Diol. Part II: Catalytically Active Inclusion Bodies. *Adv. Synth. Catal.*: <https://onlinelibrary.wiley.com/doi/abs/10.1002/adsc.201900189>.

Kulig J, Sehl T, Mackfeld U, Wiechert W, Pohl M, Rother D. 2019. An Enzymatic 2-Step Cofactor and Co-Product Recycling Cascade towards a Chiral 1,2-Diol. Part I: Cascade Design. *Adv. Synth. Catal.*: <https://onlinelibrary.wiley.com/doi/abs/10.1002/adsc.201900187>.

Schmiege B, Döbber J, Kirschhöfer F, Pohl M, Franzreb M. 2019. Advantages of Hydrogel-Based 3D-Printed Enzyme Reactors and Their Limitations for Biocatalysis. *Front. Bioeng. Biotechnol.* 6. <https://www.frontiersin.org/article/10.3389/fbioe.2018.00211/full>.

2018

Baierl A, Theorell A, Mackfeld U, Marquardt P, Hoffmann F, Moers S, Nöh K, Buchholz PCF, Pleiss J, Pohl M. 2018. Towards a Mechanistic Understanding of Factors Controlling the Stereoselectivity of Transketolase. *ChemCatChem* **10**:2601–2611.

Döbber J, Pohl M, Ley SV V., Musio B. 2018. Rapid, selective and stable HaloTag-LbADH immobilization directly from crude cell extract for the continuous biocatalytic production of chiral alcohols and epoxides. *React. Chem. Eng.* **3**:8–12.

Döbber J, Gerlach T, Offermann H, Rother D, Pohl M. 2018. Closing the gap for efficient immobilization of biocatalysts in continuous processes: HaloTag™ fusion enzymes for a continuous enzymatic cascade towards a vicinal chiral diol. *Green Chem.* **20**:544–552.

Hampel S, Steitz J-P, Baierl A, Lehwald P, Wiesli L, Richter M, Fries A, Pohl M, Schneider G, Dobritzsch D, Müller M. 2018. Structural and Mutagenesis Studies of the Thiamine-Dependent, Ketone-Accepting YerE from *Pseudomonas protegens*. *ChemBioChem* **19**:2283–2292

Höfig H, Cerminara M, Ritter I, Schöne A, Pohl M, Steffen V, Walter J, Vergara Dal Pont I, Katranidis A, Fitter J. 2018. Single-Molecule Studies on a FRET Biosensor: Lessons from a Comparison of Fluorescent Protein Equipped versus Dye-Labeled Species. *Molecules* **23**:3105. <http://www.mdpi.com/1420-3049/23/12/3105>.

Höfig H, Otten J, Steffen V, Pohl M, Boersma AJ, Fitter J. 2018. Genetically Encoded Förster Resonance Energy Transfer-Based Biosensors Studied on the Single-Molecule Level. *ACS Sensors* **3**:1462–1470

Jäger VD, Lamm R, Kloß R, Kaganovitch E, Grünberger A, Pohl M, Büchs J, Jaeger K-E, Krauss U. 2018. A Synthetic Reaction Cascade Implemented by Colocalization of Two Proteins within Catalytically Active Inclusion Bodies. *ACS Synth. Biol.* **7**:2282–2295.

Kloss R, Limberg MH, Mackfeld U, Hahn D, Grünberger A, Jäger VD, Krauss U, Oldiges M, Pohl M. 2018. Catalytically active inclusion bodies of L-lysine decarboxylase from *E. coli* for 1,5-diaminopentane production. *Sci. Rep.* **8**:5856.

Kloss R, Karmainski T, Jäger V, Hahn D, Grünberger A, Baumgart M, Krauss U, Jaeger K-E, Wiechert W, Pohl M. 2018. Tailor-made catalytically active inclusion bodies for different applications in biocatalysis. *Catal. Sci. Technol.* **8**: 5816-5826; DOI 10.1039/C8CY01891J

Pohl M, Jaeger K-E, Diener M, Krauss U. Catalytically active protein aggregates and methods for producing the same. US patent application 15/746,315.

Rother D, Pohl M, Sehl T, Marx L, Westphal R. 2018. Lyase und für die Lyase kodierende DNA, die DNA enthaltende Vektoren, sowie Verfahren zur asymmetrischen Synthese von (S)-Phenylacetylcarbinol. US patent 10,006,061.

Rother D, Pohl M, Sehl T, Gómez Baraibar Á. 2018. Verfahren zur Herstellung von Cathin. US patent 9,890,406.

2017

Rother D, Pohl M, Sehl T, Gómez Baraibar Á. 2017. Verfahren zur Herstellung von Cathin. European patent 3008198.

Muschallik, L., Molinnus, D., Bongaerts, J., Pohl, M., Wagner, T., Schöning, M.J., Siegert, P., Selmer, T., 2017. (R,R)-Butane-2,3-diol dehydrogenase from *Bacillus clausii* DSM 8716 T : Cloning and expression of the bdhA -gene, and initial characterization of enzyme. *J. Biotechnol.* **258**, 41–50.

Krauss, U., Jäger, V.D., Diener, M., Pohl, M., Jaeger, K.-E., 2017. Catalytically-active inclusion bodies - Carrier-free protein immobilizates for application in biotechnology and biomedicine. *J. Biotechnol.* **258**, 136–147.

Dreßen, A., Hilberath, T., Mackfeld, U., Billmeier, A., Rudat, J., Pohl, M., 2017. Phenylalanine ammonia lyase from *Arabidopsis thaliana* (AtPAL2): A potent MIO-enzyme for the synthesis of non-canonical aromatic alpha-amino acids. Part I: Comparative characterization to the enzymes from *Petroselinum crispum* (PcPAL1) and *Rhodospiridium toruloides* (RtPAL). *J. Biotechnol.* **258**, 148–157.

Dreßen, A., Hilberath, T., Mackfeld, U., Rudat, J., Pohl, M., 2017. Phenylalanine ammonia lyase from *Arabidopsis thaliana* (AtPAL2): A potent MIO-enzyme for the synthesis of non-canonical aromatic alpha-amino acids. Part II: Application in different reactor concepts for the production of (S)-2-chloro-phenylalanine. *J. Biotechnol.* **258**, 158–166.

Sehl, T., Bock, S., Marx, L., Maugeri, Z., Walter, L., Westphal, R., Vogel, C., Menyes, U., Erhardt, M., Müller, M., Pohl, M., Rother, D., 2017. Asymmetric synthesis of (S)-phenylacetylcarbinol – closing a gap in C–C bond formation. *Green Chem.* **19**, 380–384.

Döbbber, J., Pohl, M., 2017. HaloTag™: Evaluation of a covalent one-step immobilization for biocatalysis. *J. Biotechnol.* 241, 170–174. doi:10.1016/j.jbiotec.2016.12.004

Jussen, D., Pohl, M., Soltner, H., 2017. Vorrichtung zum Mischen von Flüssigkeiten in einem Mikrokanal. *German patent* 102013006235.7.

Rother, D., Pohl, M., Sehl, T., Gómez Baraibar, Á., 2017. Verfahren zur Herstellung von Cathin. *European patent* 3008198.

2016

Buchholz, P.C.F., Vogel, C., Reusch, W., Pohl, M., Rother, D., Spieß, A.C., Pleiss, J., 2016. BioCatNet: A Database System for the Integration of Enzyme Sequences and Biocatalytic Experiments. *ChemBioChem* 17, 2093–2098

Diener, M., Kopka, B., Pohl, M., Jaeger, K.-E., Krauss, U., 2016. Fusion of a Coiled-Coil Domain Facilitates the High-Level Production of Catalytically Active Enzyme Inclusion Bodies. *ChemCatChem* 8, 142–152.

Faccio, G., Bannwarth, M.B., Schulenburg, C., Steffen, V., Jankowska, D., Pohl, M., Rossi, R.M., Maniura-Weber, K., Boesel, L.F., Richter, M., 2016. Encapsulation of FRET-based glucose and maltose biosensors to develop functionalized silica nanoparticles. *Analyst* 141, 3982–3984

Beigi, M., Gauchenova, E., Walter, L., Waltzer, S., Bonina, F., Stillger, T., Rother, D., Pohl, M., Müller, M., 2016. Regio- and Stereoselective Aliphatic-Aromatic Cross-Benzoin Reaction: Enzymatic Divergent Catalysis. *Chem. - A Eur. J.* 22, 13999–14005.

Steffen, V., Otten, J., Engelmann, S., Radek, A., Limberg, M., Koenig, B., Noack, S., Wiechert, W., Pohl, M., 2016. A Toolbox of Genetically Encoded FRET-Based Biosensors for Rapid L-Lysine Analysis. *Sensors* 16, 1604.

Jussen, D., Soltner, H., Stute, B., Wiechert, W., von Lieres, E., Pohl, M., 2016. μ MORE: A microfluidic magnetic oscillation reactor for accelerated parameter optimization in biocatalysis. *J. Biotechnol.* 231, 174–182.

Pohl M, Jaeger K-E, Diener M, Krauss U. Catalytically active protein aggregates and methods for producing the same. US patent application 15/746,315.

2015

Brahma A, Musio B, Ismayilova U, Kamptmann SB, Siegert P, Jeromin GE, Ley SV, Pohl M (2015) An orthogonal biocatalytic approach for the safe generation and use of HCN in a multi-step continuous preparation of chiral O-acetylcyanohydrins. *Synlett*, 27:262-266

Hernández K, Parella T, Joglar J, Bujons J, Pohl M, Clapés P (2015) Expedient Synthesis of C-Aryl Carbohydrates by Consecutive Biocatalytic Benzoin and Aldol Reactions. *Chem. - A Eur. J.* 21:3335–3346.

Kopka B, Diener M, Wirtz A, Pohl M, Jaeger K-E, Krauss U (2015) Purification and simultaneous immobilization of *Arabidopsis thaliana* hydroxynitrile lyase using a family 2 carbohydrate-binding module. *Biotechnol. J.* 10:811–819.

2014

Pohl M, Wechsler C, Müller M (2014) Acyloin, benzoin, and related reactions. In: Faber, K, Fessner, W-D, Turner, NJ, editors. Science of Synthesis. Biocatalysis in Organic Synthesis 2. Stuttgart: Georg Thieme Verlag KG, pp. 93–131.

Westphal R, Vogel C, Schmitz C, Pleiss J, Müller M, Pohl M, Rother D (2015) A Tailor-Made Chimeric Thiamine Diphosphate Dependent Enzyme for the Direct Asymmetric Synthesis of (S)-Benzoins. Angew. Chemie Int. Ed. 53:9376–9379.

Kasparyan E, Richter M, Dresen C, Walter LS, Fuchs G, Leeper FJ, Wacker T, Andrade SLA, Kolter G, Pohl M, Müller M (2014) Asymmetric Stetter reactions catalyzed by thiamine diphosphate-dependent enzymes. Appl. Microbiol. Biotechnol. 98:9681–9690.

Moussa R, Baierl A, Steffen V, Kubitzki T, Wiechert W, Pohl M (2014) An evaluation of genetically encoded FRET-based biosensors for quantitative metabolite analyses in vivo. J. Biotechnol. 191:250–259.

Sehl T, Hailes HC, Ward JM, Menyes U, Pohl M, Rother D (2014) Efficient 2-step biocatalytic strategies for the synthesis of all nor(pseudo)ephedrine isomers. Green Chem. 16:3341-3348

Baraibar AG, von Lieres E, Wiechert W, Pohl M, Rother D (2014) Effective Production of (S)-alpha-Hydroxy ketones: An Reaction Engineering Approach. Top. Catal. 57:401-411.

Valinger D, Vrsalović Presečki A, Kurtanek Ž, Pohl M, Findrik Blažević Z, Vasić-Rački Đ (2014) Continuous enzymatic carbonylation of benzaldehyde and acetaldehyde in an enzyme ultrafiltration membrane reactor and laminar flow microreactors. J. Mol. Catal. B: Enzymatic 102:132-137.

Westphal R, Jansen SV, C., Pleiss J, Müller M, Rother D, Pohl M (2014) MenD from *Bacillus subtilis*: A potent catalyst for the enantioselective asymmetric synthesis of functionalized α -hydroxy ketones. ChemCatChem 6:1082-1088.

2013

Sehl T, Pohl M, Rother D (2013) Verfahren zur Herstellung von Cathin. Deutsche Patentanmeldung 10 2013 009 145.4

Sehl T, Baraibar A G, Pohl M, Rother D. Verfahren zur Herstellung von Cathin. Deutsche Patentanmeldung 10 2013 009 631.6.

Jussen D, Pohl (2013) Mikro-Makroverbindung für mikrofluidische Systeme sowie Verwendung einer elektrischen Leckdetektion, Deutsche Patentanmeldung 10 2013 009 970.3

Jussen D, Soltner H, Pohl M (2013) Vorrichtung zum Mischen von Flüssigkeiten in einem Mikrokanal. Deutsche Patentanmeldung 102013006235.7

Hailes HC, Rother D, Müller M, Westphal R, Ward JM, Pleiss J, Pohl M. 2013. Engineering stereoselectivity in ThDP-dependent enzymes. *FEBS J*, 280; 6374-6394

Westphal R, Hahn D, Mackfeld U, Waltzer S, Beigi M, Widmann M, Vogel C, Pleiss J, Müller M, Pohl M. 2013. Tailoring (S)-selectivity of MenD from *Escherichia coli* *ChemCatChem*. 5: 3587-3594

Scholz, KE, Kopka B, Wirtz A, Pohl M, Jaeger K-E, Krauss U. 2013. Fusion of a Flavin-Based Fluorescent Protein to Hydroxynitrile Lyase from *Arabidopsis thaliana* Improves Enzyme Stability. *Appl. Environ. Microbiol.* 79: 4727-4733

Drepper T, Gensch T, Pohl M. 2013. Advanced in vivo applications of blue light photoreceptors as alternative fluorescent proteins. *Photochem. Photobiol. Sci.* 12:1125-1134

Kulig J, Frese A, Kroutil W, Pohl M, Rother D. 2013. Biochemical characterization of an alcohol dehydrogenase from *Ralstonia sp.* *Biotech. Bioeng.* 110:1838-1848.

Sehl T, Hailes HC, Ward JM, Wardenga R, von Lieres E, Offermann H, Westphal R, Pohl M, Rother D. 2013. Two Steps in One Pot: Enzyme Cascade for the Synthesis of Nor(pseudo)ephedrine from Inexpensive Starting Materials. *Angew. Chem.* 52:6772-6775.

Müller M, Sprenger GA & Pohl M (2013) C-C-bond formation using ThDP-dependent lyases. *Curr. Opin. Chem. Biol.* 17:261-270.

Westphal R, Waltzer S, Mackfeld U, Widmann M, Rother D, Pleiss J, Beigi M, Müller M, Pohl M. 2013. (S)-Selective MenD variants from *Escherichia coli* provide access to new functionalized chiral α -hydroxy ketones. *Chem. Commun.* 49:2061-2063.

2012

Vogel C, Widmann M, Pohl M, Pleiss J. 2012. A standard numbering scheme for thiamine diphosphate-dependent decarboxylases. *BMC Biochem.* 13:24.

Andexer JN, Staubing N, Eggert T, Kratky C, Pohl M, Gruber K. 2012. Hydroxynitrile Lyases with α/β -Hydrolase Fold: Two Enzymes with Almost Identical 3D Structures but Opposite Enantioselectivities and Different Reaction Mechanisms. *ChemBioChem* 13: 1932-1939

Gerhards T, Mackfeld U, Bocola M, von Lieres E, Wiechert W, Pohl M, Rother D. 2012. Influence of organic solvents on enzymatic asymmetric carbonylations. *Adv. Synth. Catal.* 354: 2805-2820

Kulig J, Simon RC, Rose CA, Husain SM, Häckh M, Lüdeke S, Zeitler K, Kroutil W, Pohl M, Rother D. 2012. Stereoselective synthesis of bulky 1,2-diols with alcohol dehydrogenases. *Catalysis Science & Technology* 2:1580-1589.

Scholz K, Okrob D, Kopka B, Grünberger A, Pohl M, Jaeger KE, Krauss U. 2012. Synthesis of chiral cyanohydrins with recombinant *Escherichia coli* cells in a micro-aqueous reaction system. *Appl. Environ. Microbiol.* 78:5025-5027

Pohl M, Dresen C, Beigi M, Müller M. 2012. Enzymatic Acyloin and Benzoin Condensations. In: Drauz K, Gröger H, May O, editor. Enzyme Catalysis in Organic Synthesis. Weinheim: Wiley-VCH. Vol. II, p. 919-946

Sehl T, Simon RC, Hailes HC, Ward JM, Schell U, Pohl M, Rother D. 2012. TTC-based screening assay for ω -transaminases: a rapid method to detect reduction of 2-hydroxy ketones. J. Biotechnol. 159:188-194.

Okrob D, Metzner J, Wiechert W, Gruber K, Pohl M. 2012. Tailoring a stabilized variant of hydroxynitrile lyase from *Arabidopsis thaliana*. ChemBioChem 13:797-802.

2011

Husain SM, Stillger T, Dünkelfmann P, Lödige M, Walter L, Breitling E, Pohl M, Bürcner M, Krossing I, Müller M and others. 2011. Stereoselective reduction of 2-hydroxy ketones toward syn- and anti-1,2-diols. Adv. Synth. Catal. 353:2359-2362

Okrob D, Paravidino M, Orru RVA, Wiechert W, Hanefeld U, Pohl M. 2011. Hydroxynitrile lyase from *Arabidopsis thaliana*: Identification of reaction parameters for enantiopure cyanohydrin synthesis by pure and immobilized catalyst. Adv. Synth. Catal. 353:2399-2408

Rother D, Kolter G, Gerhards T, Berthold Siöberg CL, Gauchenova E, Knoll M, Pleiss J, Müller M, Schneider G, Pohl M. 2011. (S)-Selective mixed benzoin condensation by structure-based design of the pyruvate decarboxylase from *Acetobacter pasteurianus*. ChemCatChem. 3:1587-1596

Würges K, Mackfeld U, Pohl M, Lütz S, Wilhelm S, Wiechert W, Kubitzki T. 2011. An efficient route to both enantiomers of allo-threonine by simultaneous amino acid racemase-catalyzed isomerization of threonine and crystallization. Adv. Synth. Catal. 353:2431-2438

Meyer D, Pohl M, Müller M, Tittmann K. 2011. Conversion of pyruvate decarboxylase into an enantioselective carboligase with biosynthetic potential. JACS 133:3609-3616

Franken B, Jaeger KE, Eggert T, Pohl M. 2011. Mechanism of acetaldehyde-induced deactivation of microbial lipases. BMC Biochem. 12:10

2010

Dresen C, Richter M, Pohl M, Lüdeke S, Müller M. 2010. The Enzymatic Asymmetric Conjugate Umpolung Reaction. Angew. Chem. Int. Ed. 49(37):6600-6603.

Berheide M, Peper S, Kara S, Long WS, Schenkel S, Pohl M, Niemeyer B, Liese A. 2010. Influence of the hydrostatic pressure and pH on the asymmetric 2-hydroxyketone formation catalyzed by *Pseudomonas putida* benzoylformate decarboxylase and variants thereof. Biotechnol. Bioeng. 106(1):18-26

Gocke D, Kolter G, Müller M, Pohl M. 2010. Entwicklung einer Enzymplattform für die biokatalytische C-C-Verknüpfung. Chem. Ing. Tech. 82:81-86

Hofmann D, Wirtz A, Santiago-Schübel B, Disko U, Pohl M. 2010. Structure elucidation of the thermal degradation products of the nucleotide cofactors NADH and NADPH by nano-ESI-FTICR-MS and HPLC-MS. *Anal. Bioanal. Chem.* 398: 2803-2811

Kulishova L, Dimoula K, Jordan M, Wirtz A, Hofmann D, Santiago-Schubel B, Fitter J, Pohl M, Spiess AC. 2010. Factors influencing the operational stability of NADPH-dependent alcohol dehydrogenase and an NADH-dependent variant thereof in gas/solid reactors. *J. Mol. Catal. B-Enzym.* 67(3-4):271-283

Palmen T, Nieveler J, Frölich B, Treffenfeldt W, Pohl M, Büchs J. 2010. Physiological relation between respiration activity and heterologous expression of selected benzoylformate decarboxylase variants in *Escherichia coli*. *Microbial Cell Factories* 9(1):76

Widmann M, Radloff R, Pleiss J. 2010. The Thiamine diphosphate dependent Enzyme Engineering Database: A tool for the systematic analysis of sequence and structure relations. *BMC Biochemistry* 11(1):9.

2009

Andexer J, Von Langermann J, Kragl U, Pohl M. 2009. How to overcome limitations in biotechnological processes - examples from hydroxynitrile lyase applications. *Trends Biotechnol.* 27, 599-607 (Review)

Dimoula K, Pohl M, Büchs J, Spiess AC. 2009. Substrates and water adsorption phenomena in a gas/solid enzymatic reactor. *Biotechnol. J.* 4: 712-721

Gocke D, Graf T, Brosi H, Frindi-Wosch I, Walter L, Müller M, Pohl M. 2009. Comparative characterisation of thiamin diphosphate-dependent decarboxylases. *J. Mol. Catal. B: Enzymatic* 61: 30-35

Guterl JK, Andexer JN, Sehl T, von Langermann J, Frindi-Wosch I, Rosenkranz T, Fitter J, Gruber K, Kragl U, Eggert T, Pohl M. 2009. Uneven Twins: Comparison of two enantiocomplementary Hydroxynitrile Lyases with α/β -Hydrolase Fold. *J. Biotechnol.* 141:166-173.

Kokova M, Zavrel M, Tittmann K, Spiess AC, Pohl M. 2009. Investigating the Carboligase Activity of Thiamine Diphosphate-dependent Enzymes Using Kinetic Modeling and NMR Spectroscopy. *J. Molec. Catal. B: Enzymatic*, 61: 73-79

Mikolajek RJ, Spiess AC, Pohl M, Büchs J. 2009. Propioin synthesis using thiamine diphosphate-dependent enzymes. *Biotechnol. Prog.* 25(1):132-138.

Müller M, Gocke D, Pohl M. 2009. Thiamin diphosphate in biological chemistry: Exploitation of diverse ThDP-dependent enzymes for asymmetric chemoenzymatic synthesis. *FEBS J.* 276:2894-2904. (Review)

Kurlemann N, Lara M, Pohl M, Kroutil W, Liese A. 2009. Asymmetric synthesis of chiral 2-hydroxy ketones by coupled biocatalytic alkene oxidation and C-C bond formation. *J. Mol. Catal. B: Enzymatic* 61:111-116.

2008

Pohl M, Gocke D, Müller M. 2008. Thiamin-based Enzymes for Biotransformations. In: Anastas PT, editor. Handbook of Green Chemistry, Green Catalysis, Vol. 3 Biocatalysis. Weinheim: Wiley-VCH. p 75-114.

Cosp A., Dresen C., Pohl M., Walter L., Röhr C., Müller M. α/β -Unsaturated aldehydes as substrates for asymmetric C-C bond forming reactions with thiamin diphosphate (ThDP)-dependent Enzymes. *Adv. Synth. Catal.* 2008, 350:759-771.

Domínguez de María P., Stillger T., Pohl M., Kiesel M., Liese A., Gröger H., Trauthwein H. Enantioselective C-C bond ligation using recombinant *E. coli*-whole-cell biocatalysts. *Adv. Synth. Catal.* 2008, 350:165-173.

Gocke D., Walter L., Gauchenova E., Kolter G., Knoll M., Berthold C. L., Schneider G., Pleiss J., Müller M., Pohl M. Rational protein design of ThDP-dependent enzymes: engineering stereoselectivity. *Chembiochem* 2008, 9:406-412.

Von Langermann J., Guterl J., Pohl M., Wajant H., Kragl U. Hydroxynitrile lyase catalyzed cyanohydrin synthesis at high pH-values. *Bioprocess Biosyst. Eng.* 2008, 31:155-161.

2007

Andexer J., von Langermann J., Mell A., Bocola M., Kragl U., Eggert T., Pohl M. A new (*R*)-selective hydroxynitrile lyase from *Arabidopsis thaliana* with an α/β -hydrolase fold. *Angew. Chem., Int. Ed.* 2007, 46:8679-8681.

Berthold C. L., Gocke D., Wood M. D., Leeper F. J., Pohl M., Schneider G. Structure of the branched-chain keto acid decarboxylase (KdcA) from *Lactococcus lactis* provides insights into the structural basis for the chemoselective and enantioselective carboligation reaction. *Acta Cryst.* 2007, D63:1217-1224.

Domínguez de María P., Pohl M., Gocke D., Gröger H., Trauthwein H., Stillger T., Müller M. Asymmetric synthesis of aliphatic 2-hydroxy ketones by enzymatic carboligation of aldehydes. *Eur. J. Org. Chem.* 2007:2940-2944.

Gocke D., Nguyen C. L., Pohl M., Stillger T., Walter L., Müller M. Branched-chain ketoacid decarboxylase from *Lactococcus lactis* (KdcA), a valuable thiamin diphosphate-dependent enzyme for asymmetric C-C bond formation. *Adv. Synth. Catal.* 2007, 349:1425-1435.

Hildebrand F., Kühl S., Pohl M., Vasic-Racki D., Müller M., Wandrey C., Lütz S. The production of (*R*)-2-hydroxy-1-phenyl-propan-1-one derivatives by benzaldehyde lyase from *Pseudomonas fluorescens* in a continuously operated membrane reactor. *Biotechnol. Bioeng.* 2007, 96:835-843.

Kühl S., Zehentgruber D., Pohl M., Müller M., Lütz S. Process development for enzyme catalysed asymmetric C-C-bond formation. *Chem. Eng. Sci.* 2007, 62:5201-5205.

Mikolajek R., Spiess A. C., Pohl M., Lamare S., Buchs J. An activity, stability and selectivity comparison of propioin synthesis by thiamine diphosphate-dependent enzymes in a solid/gas bioreactor. *Chembiochem* 2007, 8(9):1063-70.

Pohl M., Kula M. R. Enzymes for Carbonylation - 2-Ketoacid Decarboxylases and Hydroxynitrile Lyases. In: *Asymmetric synthesis with chemical and biological methods*. (Enders, J., Ed.). Weinheim: Wiley-VCH. 2007. p. 327-340.

Pohl M., Liese A. (2007) Industrial processes using lyases for C-C, C-N and C-O bond formation. In: *Biocatalysts in the Pharmaceutical and Biotechnology Industries* (Patel, R., Ed.), CRC Press, pp. 663-675. (Review)

2006

Domínguez de María P., Stillger T., Pohl M., Wallert S., Drauz K., Gröger H., Trauthwein H., Liese A. Preparative enantioselective synthesis of benzoin and (R)-2-hydroxy-1-phenylpropanone using benzaldehyde lyase. *J. Mol. Catal. B: Enzym.* 2006, 38:43-47.

Drepper T., Eggert T., Hummel H., Leggewie C., Pohl M., Rosenau F., Jaeger K. E. Neue Biokatalysatoren für die Weiße Biotechnologie. *Chemie Ingenieur Technik* 2006, 78(3):239-248. (Review)

Drepper T., Eggert T., Hummel W., Leggewie C., Pohl M., Rosenau F., Wilhelm S., Jaeger K. E. Novel biocatalysts for white biotechnology. *Biotechnol. J.* 2006, 1(7-8):777-786. (Review)

Henning H., Leggewie C., Pohl M., Müller M., Eggert T., Jaeger K. E. Identification of novel benzoylformate decarboxylases by growth selection. *Appl. Environ. Microbiol.* 2006:7510-7517.

Janzen E., Müller M., Kolter-Jung D., Kneen M. M., McLeish M. J., Pohl M. Characterization of benzaldehyde lyase from *Pseudomonas fluorescens* - a versatile enzyme for asymmetric C-C-bond formation. *Bioorg. Chem.* 2006, 34:345-361.

Knoll M., Müller M., Pleiss J., Pohl M. Factors mediating activity, selectivity, and substrate specificity for the thiamin diphosphate-dependent enzymes benzaldehyde lyase and benzoylformate decarboxylase. *Chembiochem* 2006, 7:1928-1934.

Stillger T., Pohl M., Wandrey C., Liese A. Reaction engineering of benzaldehyde lyase catalyzing enantioselective C-C bond formation. *Org. Proc. Res. Dev.* 2006, 10:1172-1177.

Andexer J., Guterl J. K., Pohl M., Eggert T. A high-throughput screening assay for hydroxynitrile lyase activity. *Chem. Commun.* 2006, 40:4201-4203.

1992-2005

Siegert P., McLeish M. J., Baumann M., Iding H., Kneen M. M., Kenyon G. L., Pohl M. Exchanging the substrate specificities of pyruvate decarboxylase from *Zymomonas mobilis* and benzoylformate decarboxylase from *Pseudomonas putida*. *Protein Eng. Des. Sel.* 2005, 18(7):345-57.

Dunkelmann P., Pohl M., Müller M. Enantiomerically pure 2-hydroxy carbonyl compounds through enzymatic C-C bond formation. *Chimica Oggi/Chemistry Today suppl. Chiral Catalysis* 2004, 22(11/12):24-28.

Lingen B., Pohl M., Liese A., Demir A. S., Müller M. Enantioselective synthesis of hydroxyketones via benzaldehyde lyase and benzoylformate decarboxylase catalyzed C-C bond formation. In: *Thiamine: Catalytic mechanisms in normal and disease states*. (Jordan, F., Patel, M. S., Ed.). New York, Basel: Marcel Dekker, Inc. 2004. p 113-130.

Losen M., Frölich B., Pohl M., Büchs J. Effect of oxygen limitation and medium composition on *Escherichia coli* fermentation in shake-flask cultures. *Biotechnol. Prog.* 2004, 20(4):1062-1068.

Pohl M., Sprenger G. A., Müller M. A new perspective on thiamine catalysis. *Curr. Opin. Biotechnol.* 2004, 15:335-342. (Review)

Siebert P., Pohl M., Kneen M. M., Pogozheva I. D., Kenyon G. L., McLeish M. J. Exploring the substrate specificity of benzoylformate decarboxylase, pyruvate decarboxylase, and benzaldehyde lyase. In: *Thiamine: Catalytic mechanisms in normal and disease states*. (Jordan, F., Patel, M. S., Ed.). New York, Basel: Marcel Dekker, Inc. 2004. p 275-290.

Lingen B., Kolter-Jung D., Dünkemann P., Feldmann R., Grötzinger J., Pohl M., Müller M. Alteration of the Substrate Specificity of Benzoylformate Decarboxylase from *Pseudomonas putida* by Directed Evolution. *Chembiochem* 2003, 4:721-726.

Breuer M., Pohl M., Hauer B., Lingen B. High-throughput assay of (*R*)-phenylacetylcarbinol synthesized by pyruvate decarboxylase. *Anal. Bioanal. Chem.* 2002, 374(6):1069-1073.

Demir A. S., Sesenoglu O., Eren E., Hosrik B., Pohl M., Janzen E., Kolter D., Feldmann R., Dünkemann P., Müller M. Enantioselective synthesis of alpha-hydroxy ketones via benzaldehyde lyase-catalyzed C-C bond formation reaction. *Adv. Synth. Catal.* 2002, 344:96-103.

Dünkemann P., Kolter-Jung D., Nitsche A., Demir A. S., Siebert P., Lingen B., Baumann M., Pohl M., Müller M. Development of a donor-acceptor concept for enzymatic cross-coupling reactions of aldehydes: the first asymmetric cross-benzoin condensation. *J. Am. Chem. Soc.* 2002, 124:12084-12085.

Lingen B., Grötzinger J., Kolter D., Kula M. R., Pohl M. Improving the carboligase activity of benzoylformate decarboxylase from *Pseudomonas putida* by a combination of directed evolution and site-directed mutagenesis. *Protein Eng.* 2002, 15:585-593.

Pohl M., Lingen B., Müller M. Thiamin-diphosphate dependent enzymes: new aspects of asymmetric C-C bond formation. *Chem. Eur. J.* 2002, 8:5288-5295. (Review)

H. Slusarczyk, S. Felber, M. Pohl, M.-R. Kula (2002) Neue Mutanten der Formiatdehydrogenase aus *Candida boidinii*, Deutsche Patentanmeldung DE 101 46 589.0.

Bornscheuer U. T., Pohl M. Improved biocatalysts by directed evolution and rational protein design. *Curr. Opin. Chem. Biol.* 2001, 5(2):137-143. (Review)

Demir A. S., Pohl M., Janzen E., Müller M. Enantioselective synthesis of hydroxy ketones through cleavage and formation of acyloin linkage. Enzymatic kinetic resolution via C-C bond cleavage. *J. Chem. Soc. Perkin Trans 1* 2001:633-635.

Goetz G., Iwan P., Hauer B., Breuer M., Pohl M. Continuous production of (R)-phenylacetylcarbinol in an enzyme-membrane reactor using a potent mutant of pyruvate decarboxylase from *Zymomonas mobilis*. *Biotechnol. Bioeng.* 2001, 74:317-325.

Iwan P., Goetz G., Schmitz S., Hauer B., Breuer M., Pohl M. Studies on the continuous production of (R)-(-)-phenylacetylcarbinol in an enzyme-membrane reactor. *J. Mol. Catal. B: Enzym.* 2001, 11(4-6):387-396.

H. Slusarczyk, M. Pohl, M.-R. Kula (2001) New mutants of formate dehydrogenase from *Candida boidinii*, new gene sequences encoding these and use of the new formate dehydrogenases, US Patent 6,242,234, CA Patent 2,253,021.

M. Pohl, M. Müller, A. Demir (2000) Nukleotidsequenz kodierend für eine Benzaldehyd-Lyase und Verfahren zur stereoselektiven Synthese von 2-Hydroxyketonen, Deutsches Patent 100 32 254.

Dünnwald T., Demir A. S., Siegert P., Pohl M., Müller M. Enantioselective synthesis of (S)-2-hydroxypropanone derivatives by benzoylformate decarboxylase catalyzed C-C bond formation. *Eur. J. Org. Chem.* 2000, (11):2161-2170.

Iding H., Dünnwald T., Greiner L., Liese A., Müller M., Siegert P., Grötzinger J., Demir A. S., Pohl M. Benzoylformate decarboxylase from *Pseudomonas putida* as stable catalyst for the synthesis of chiral 2-hydroxy ketones. *Chem. Eur. J.* 2000, 6:1483-1495.

Slusarczyk H., Felber S., Kula M. R., Pohl M. Stabilization of NAD-dependent formate dehydrogenase from *Candida boidinii* by site-directed mutagenesis of cysteine residues. *European Journal of Biochemistry* 2000, 267(5):1280-1289.

Breithaupt H., Pohl M., Bönigk W., Heim P., Schimz K. L., Kula M. R. Cloning and expression of (R)-hydroxynitrile lyase from *Linum usitatissimum* (flax). *J. Molec. Cat. B: Enzymatic* 1999, 6:315-332.

Demir A. S., Dünnwald T., Iding H., Pohl M., Müller M. Asymmetric benzoin reaction catalyzed by benzoylformate decarboxylase. *Tetrahedron-Asymmetry* 1999, 10(24):4769-4774.

H. Iding, T. Dünnwald, L. Greiner, M. Müller, A. Liese, M. Pohl (1999) Stereoselektive Synthese von 2-Hydroxyketonen, Deutsche Patentanmeldung, DE 19918935.8, Eur. Patentanmeldung 00108709.7-2110.

Sprenger G. A., Pohl M. Synthetic potential of thiamin diphosphate-dependent enzymes. *J. Molec. Cat. B: Enzymatic* 1999, 6:145-149. (Review).

Iding H., Siegert P., Mesch K., Pohl M. Application of alpha-keto acid decarboxylases in biotransformations. *Biochim. Biophys. Acta* 1998, 1385:307-322.

Pohl M., Siegert P., Mesch K., Bruhn H., Grötzinger J. Active site mutants of pyruvate decarboxylase from *Zymomonas mobilis*-a site-directed mutagenesis study of L112, I472, I476, E473, and N482. *Eur. J. Biochem.* 1998, 257:538-546.

Tittmann K., Mesch K., Pohl M., Hübner G. Activation of thiamine diphosphate in pyruvate decarboxylase from *Zymomonas mobilis*. *FEBS Lett.* 1998, 441(3):404-406.

Pohl M. Protein design on pyruvate decarboxylase (PDC) by site-directed mutagenesis. Application to mechanistical investigations, and tailoring PDC for the use in organic synthesis. *Adv. Biochem. Eng. Biotechnol.* 1997, 58:15-43. (Review)

M. Pohl, K. Mesch, H. Iding, G. Goetz, M.-R. Kula, M. Breuer, H. Hauer (1997) Verfahren zur Herstellung enantiomerenreiner Phenylacetylcarbinole aus Acetaldehyd und Benzaldehyden in Gegenwart von Pyruvatdecarboxylasen aus *Zymomonas*. Deutsche Patentanmeldung 197 36 104.8.

H. Slusarczyk, M. Pohl, M.-R. Kula (1997) Neue Mutanten der Formiatdehydrogenase aus *Candida boidinii*, neue Gensequenz diese codierend sowie Verwendung der neuen Formiatdehydrogenase, Deutsche Patentanmeldung 197 53 350.7., Eur. Patent EP 0926240 B1.

H. Bruhn, M. Pohl, K. Mesch, M.-R. Kula (1996) Process for obtaining acyloins, pyruvate decarboxylase suitable therefore and their production and DNA sequences of the PDC Gene coding them. Internationale Patentanmeldung, WO 96/37620; US-Patent 6,004,789.

H. Bruhn, M. Pohl, K. Mesch, M.-R. Kula (1995) Verfahren zur Herstellung von Acyloinen, dafür geeignete Pyruvatdecarboxylase sowie deren Herstellung und DNA-Sequenz des für diese kodierenden PDC-Gens, Deutsches Patent 195 23 269

Bruhn H., Pohl M., Grötzinger J., Kula M. R. The replacement of Trp392 by alanine influences the decarboxylase/carboligase activity and stability of pyruvate decarboxylase from *Zymomonas mobilis*. *Eur. J. Biochem.* 1995, 234:650-655.

Pohl M., Mesch K., Rodenbrock A., Kula M. R. Stability investigations on the pyruvate decarboxylase from *Zymomonas mobilis*. *Biotechnol. Appl. Biochem.* 1995, 22:95-105.

Pohl M., Grötzinger J., Wollmer A., Kula M. R. Reversible dissociation and unfolding of pyruvate decarboxylase from *Zymomonas mobilis*. *Eur. J. Biochem.* 1994, 224:651-661.

KRETZSCHMAR T, POHL M, CASARETTO M, PRZEWOSNY M, BAUTSCH W, KLOS A, SAUNDERS D, KOHL J. 1992. Synthetic peptides as antagonists of the anaphylatoxin C3a. *Eur. J. Biochem.* 210:185–191.