

2015

- Ostermann, S., Richhardt, J., Bringer, S., Bott, M., Wiechert, W., Oldiges, M.** ^{13}C tracers for glucose degrading pathway discrimination in *Gluconobacter oxydans* 621H. *Metabolites*, 5 (2015) 455-474; DOI:10.3390/metabo5030455
- 76 Kiefler, I., Bringer, S., Bott, M.** SdhE-dependent formation of a functional *Acetobacter pasteurianus* succinate dehydrogenase in *Gluconobacter oxydans*—a first step toward a complete tricarboxylic acid cycle. *Applied Microbiology and Biotechnology* (2015) DOI: 10.1007/s00253-015-6972-8
- 75 Bringer, S., Bott, M.** Metabolic features in *Gluconobacter oxydans*. In: *Acetic Acid Bacteria: Ecology and Physiology*, Matsushita, K., Toyama, H., Tonouchi, N., Kainuma, A., eds. (2015) Chapter 11

2014

- Siedler, S., Bringer, S., Polen, T., Bott, M.** NADPH-dependent reductive biotransformation with *Escherichia coli* and its *pfkA* deletion mutant: influence on global gene expression and role of oxygen supply. *Biotechnology and Bioengineering* 111 (2014) 10, 2067-2075, DOI: 10.1002/bit.25271
- Siedler, S., Schendzielorz, G., Binder, S., Eggeling, L., Bringer, S., Bott, M.** SoxR as a single-cell biosensor for NADPH-consuming enzymes in *Escherichia coli*. *ACS Synthetic Biology*, 3 (2014) 1, 41–47, DOI: 10.1021/sb400110j

2013

- Richhardt, J., Luchterhand, B., Bringer, S., Büchs, J., Bott, M.** Evidence for a key role of cytochrome *bo*₃ oxidase in respiratory energy metabolism of *Gluconobacter oxydans*. *Journal of Bacteriology* 195 (2013) 18, 4210-4220 DOI: 10.1128/JB.00470-13
- Hanke, T., Nöh, K., Noack, S., Polen, T., Bringer, S., Sahm, H., Wiechert, W., Bott, M.** Combined fluxomics and transcriptomics analysis of glucose catabolism via a partially cyclic pentose phosphate

pathway in *Gluconobacter oxydans* 621H. Applied and Environmental Microbiology, 79 (2013) 7, 2336-2348, DOI: 10.1128/AEM.03414-12

Richhardt, J., Bringer, S., Bott, M. Role of the pentose phosphate pathway and the Entner–Doudoroff pathway in glucose metabolism of *Gluconobacter oxydans* 621H. Applied Microbiology and Biotechnology 97 (2013) 3, 4315-4323, DOI: 10.1007/s00253-013-4707-2

Siedler, S., Lindner, S.N., Bringer, S. Wendisch, V.F., Bott, M. Reductive whole-cell biotransformation with *Corynebacterium glutamicum*: improvement of NADPH generation from glucose by a cyclized pentose phosphate pathway using *pfkA* and *gapA* deletion mutants. Applied Microbiology and Biotechnology 97 (2013) 1, 143-152, DOI 10.1007/s00253-012-4314-7

2012

Richhardt, J., Bringer, S., Bott, M. Mutational analysis of the pentose phosphate and Entner–Doudoroff pathways in *Gluconobacter oxydans* reveals improved growth of a $\Delta edd \Delta eda$ mutant on mannitol. Applied and Environmental Microbiology 78 (2012) 19, 6975–6986, DOI:10.1128/AEM.01166-12

Hanke, T., Richhardt, J., Polen, T., Sahm, H., Bringer, S., Bott, M. Influence of oxygen limitation, absence of the cytochrome *bc₁* complex and low pH on global gene expression in *Gluconobacter oxydans* 621H using DNA microarray technology. Journal of Biotechnology 157 (2012) 3, 359-372, DOI:10.1016/j.jbiotec.2011.12.020

Siedler, S., Bringer, S., Blank, L.M., Bott, M. Engineering yield and rate of reductive biotransformation in *Escherichia coli* by partial cyclization of the pentose phosphate pathway and PTS-independent glucose transport. Applied Microbiology and Biotechnology 93 (2012) 4 1459–1467, DOI:10.1007/s00253-011-3626-3

2011

Siedler, S., Bringer, S., Bott, M. Increased NADPH availability in *Escherichia coli*: improvement of the product per glucose ratio in reductive whole-cell biotransformation. Applied Microbiology and Biotechnology 92 (2011) 5, 929–937, DOI:10.1007/s00253-011-3374-4

2010

Krajewski, V., Simić, P., Mouncey, N., Bringer, S., Sahm, H., Bott, M. Metabolic engineering of *Gluconobacter oxydans* for improved growth rate and growth yield on glucose by elimination of gluconate formation. Applied and Environmental Microbiology, 76 (2010) 13, 4369 – 4376, DOI:10.1128/AEM.03022-09

2009

Heuser F, Marin K, Kaup B, Bringer S, Sahm H. Improving D-mannitol productivity of *Escherichia coli*: impact of NAD, CO₂ and expression of a putative sugar permease from *Leuconostoc pseudomesenteroides*. *Metabolic Engineering*, 11 (2009) 3, 178 – 183, DOI:10.1016/j.ymben.2009.01.006

Hölscher, T. Schleyer, U., Merfort, M., Bringer-Meyer, S., Görisch, H., Sahm, H. Glucose oxidation and PQQ-dependent dehydrogenases in *Gluconobacter oxydans*. *Journal of Molecular Microbiology and Biotechnology*, 16 (2009) 1-2, 6 – 13, DOI:10.1159/000142890

Bäumchen, C., Krings, E., Bringer, S., Eggeling, L., Sahm, H. myo-inositol facilitators IolT1 and IolT2 enhance D-mannitol formation from D-fructose in *Corynebacterium glutamicum*. *FEMS Microbiology Letters*, 290 (2009) 2, 227 – 235, DOI:10.1111/j.1574-6968.2008.01425.x

2008

Schleyer, U., Bringer-Meyer, S., Sahm, H. An easy cloning and expression vector system for *Gluconobacter oxydans*. *International Journal of Food Microbiology*, 125 (2008) 1, 91 – 95, DOI:10.1016/j.ijfoodmicro.2007.04.016

2007

Schroer, K., Mackfeld, U., Tan, I., Wandrey, C., Heuser, F., Bringer-Meyer, S., Weckbecker, A., Hummel, W., Daußmann, T., Pfaller, R., Liese, A., Lütz, S. Continuous asymmetric ketone reduction with recombinant *Escherichia coli*. *Journal of Biotechnology*, 132 (2007) 4, 438 – 444, DOI:10.1016/j.jbiotec.2007.08.003

Bräutigam, S., Bringer-Meyer, S., Weuster-Botz, D. Asymmetric whole cell biotransformation in biphasic ionic liquid/water-systems by use of recombinant *Escherichia coli* with intracellular cofactor regeneration. *Tetrahedron: Asymmetry*, 18 (2007) 16, 1883 – 1887, DOI:10.1016/j.tetasy.2007.08.003

Bäumchen, C., Roth, A.H.F.J., Biedendieck, R., Malten, M., Follmann, M., Sahm, H., Bringer-Meyer, S., Jahn, D. D-Mannitol production by resting state whole cell biotransformation of D-fructose by heterologous mannitol and formate dehydrogenase gene expression in *Bacillus megaterium*. *Biotechnology Journal*, 2 (2007) 11, 1408 – 1416, DOI:10.1002/biot.200700055

Bäumchen, C., Bringer-Meyer, S. Expression of *glfZ_m* increases D-mannitol formation in whole cell biotransformation with resting cells of *Corynebacterium glutamicum*. *Applied Microbiology and Biotechnology*, 76 (2007) 3, 545 – 552, DOI:10.1007/s00253-007-0987-8

Gätgens, C., Degner, U., Bringer-Meyer, S., Herrmann, U. Biotransformation of glycerol to dihydroxyacetone by recombinant *Gluconobacter oxydans* DSM2343. *Applied Microbiology and Biotechnology*, 76 (2007) 3, 553 – 559, DOI:10.1007/s00253-007-1003-z

Heuser, F., Schroer, K., Lütz, S., Bringer-Meyer, S., Sahm, H. Enhancement of the NAD(P)(H) pool in *Escherichia coli* for biotransformation. *Engineering in Life Sciences*, 7 (2007) 4, 343 – 353, DOI:10.1002/elsc.200720203

2006

Merfort, M., Herrmann, U., Bringer-Meyer, S., Sahm, H. High yield 5-keto-D-gluconic acid formation is mediated by soluble and membrane-bound gluconate-5-dehydrogenases of *Gluconobacter oxydans*. *Applied Microbiology and Biotechnology*, 73 (2006) 2, 443 – 451, DOI:10.1007/s00253-006-0467-6

Merfort, M., Herrmann, U., Ha, S.-W., Elfari, M., Bringer-Meyer, S., Görisch, H., Sahm, H. Modification of the membrane-bound glucose oxidation system in *Gluconobacter oxydans* significantly increases gluconate and 5-keto-D-gluconic acid accumulation. *Biotechnology Journal*, 1 (2006) 5, 556 – 563, DOI:10.1002/biot.200600032

Bremus, C., Herrmann, U., Bringer-Meyer, S., Sahm, H. The use of microorganisms in L-ascorbic acid production. *Journal of Biotechnology*, 124 (2006) 1, 196 – 205, DOI:10.1016/j.jbiotec.2006.01.010

Sahm, H., Bringer-Meyer, S., Sprenger, G.A. The Genus *Zymomonas*. *Prokaryotes*, 5 (2006) Chapter 3.1.9, 201 – 221

2005

Kaup, B., Bringer-Meyer, S., Sahm, H. D-Mannitol formation from D-glucose in a whole-cell biotransformation with recombinant *Escherichia coli*. *Applied Microbiology and Biotechnology*, 69 (2005) 4, 397 – 403, DOI:10.1007/s00253-005-1996-0

Ernst, M., Kaup, B., Mueller, M., Bringer-Meyer, S., Sahm, H. Enantioselective reduction of carbonyl compounds by whole-cell biotransformation, combining a formate dehydrogenase and a (*R*)-specific alcohol dehydrogenase. *Applied Microbiology and Biotechnology*, 66 (2005) 6, 629 – 634, DOI:10.1007/s00253-004-1765-5

2004

Ricagno, S., Grolle, S., Bringer-Meyer, S., Sahm, H., Lindqvist, Y., Schneider, G. Crystal structure of 1-deoxy-D-xylulose 5-phosphate reductoisomerase from *Zymomonas mobilis* at 1.9 Å resolution. *Biochimica et Biophysica Acta*, 1698 (2004) 1, 37 – 44, DOI:10.1016/j.bbapap.2003.10.006

Herrmann, U., Merfort, M., Jeude, M., Bringer-Meyer, S., Sahm, H. Biotransformation of glucose to 5-keto-D-gluconic acid by recombinant *Gluconobacter oxydans* DSM 2343. *Applied Microbiology Biotechnology*, 64 (2004) 1, 86 – 90, DOI:10.1007/s00253-003-1455-8

Kaup, B., Bringer-Meyer, S., Sahm, H. Metabolic engineering of *Escherichia coli*: construction of an efficient biocatalyst for D-mannitol formation in a whole-cell biotransformation. Applied Microbiology Biotechnology, 64 (2004) 3, 333 – 339, DOI:10.1007/s00253-003-1470-9

2003

Hahn, G., Kaup, B., Bringer-Meyer, S., Sahm, H. A zinc-containing mannitol-2-dehydrogenase from *Leuconostoc pseudomesenteroides* ATCC 12291: purification of the enzyme and cloning of the gene. Archives of Microbiology 179 (2003) 2, 101 – 107, DOI:10.1007/s00203-002-0507-2

2001

Kosaric, N., Duvnjak, Z., Farkas, A., Sahm, H., Bringer-Meyer, S., Goebel, O., Mayer, D. Ethanol. Ullmann's Encyclopedia of Industrial Chemistry, Wiley-VCH Verlag GmbH & Co. KGaA, 2001.-S. 1 - 76

1996 - 2000

Grolle, S., Bringer-Meyer, S., Sahm, H. Isolation of the *dxr* gene of *Zymomonas mobilis* and characterization of the 1-deoxy-D-xylulose 5-phosphate reductoisomerase. FEMS Microbiology Letters, 191 (2000) 1, 131 – 137

Neveling, U., Bringer-Meyer, S., Sahm, H. Exceptional characteristics of heterotetrameric ($\alpha_2\beta_2$) E1p of the pyruvate dehydrogenase complex from *Zymomonas mobilis*: expression from an own promoter and a lipoyl domain in E1 β . FEMS Microbiology Letters, 177 (1999) 1, 117 - 121

Grolle, S., Bringer-Meyer, S., Schörken, U., Sprenger, G.A., Begley, T.P., Sahm, H. A novel pathway to isopentenyl diphosphate from pyruvate and glyceraldehyde 3-phosphate via 1-deoxyxylulose 5-phosphate: Biochemical principles and mechanisms of biosynthesis and biodegradation of polymers./ed.: Steinbuechel A., Wiley-VCH, 1999.-S. 293 – 299

Taylor, S.V., Vu, L.D., Begley, T.P., Schörken, U., Grolle, S., Sprenger, G.A., Bringer-Meyer, S., Sahm, H. Chemical and enzymatic synthesis of 1-deoxy-D-xylulose-5-phosphate. Journal of Organic Chemistry, 63 (1998) 7, 2375 – 2377

Neveling, U., Klasen, R., Bringer-Meyer, S., Sahm, H. Purification of the pyruvate dehydrogenase multienzyme complex of *Zymomonas mobilis* and identification and sequence analysis of the corresponding genes. Journal of Bacteriology, 180 (1998) 6, 1540 – 1548

Kalnenieks, U., Galinina, N., Bringer-Meyer, S., Poole, R.K. Membrane D-lactate oxidase in *Zymomonas mobilis*: evidence for a branched respiratory chain. FEMS Microbiology Letters, 168 (1998) 1, 91 – 97

Neveling, U., Bringer-Meyer, S., Sahm, H. Gene and subunit organization of bacterial pyruvate dehydrogenase complexes. *Biochimica et Biophysica Acta*, 1385 (1998) 2, 367 - 372

Sprenger, G.A., Schoerken, U., Wiegert, T., Grolle, S., De Graaf, A.A., Taylor, S.V., Begley, P., Bringer-Meyer, S., Sahm, H. Identification of a thiamin-dependent synthase in *Escherichia coli* required for the formation of the 1-deoxy-D-xylulose 5-phosphate precursor to isoprenoids, thiamin, and pyridoxol. *Proceedings of the National Academy of Sciences USA*, 94 (1997) 24, 12857 - 12862

Rohmer, M., Seemann, M., Horbach, S., Bringer-Meyer, S., Sahm, H. Glyceraldehyde 3-phosphate and pyruvate as precursors of isoprenic units in an alternative non-mevalonate pathway for terpenoid biosynthesis. *Journal of the American Chemical Society*, 118 (1996) 11, 2564 – 2566

Bringer-Meyer, S., Neveling, U., Klasen, R., Sahm, H. Cloning, sequencing and expression of the *Zymomonas mobilis* dihydrolipoamide dehydrogenase gene (*lpd*) in *Escherichia coli*. *Biochemistry and physiology of thiamine diphosphate enzymes*./eds.: Bisswanger, H., Schellenberger, A., A. u. C. Intemann, Wissenschaftlicher Verlag, Prien, 1996.- S. 382 – 389

1991 - 1995

Klasen, R., Bringer-Meyer, S., Sahm, H. Biochemical characterization and sequence analysis of the gluconate: NADP 5-oxidoreductase gene from *Gluconobacter oxydans*. *Journal of Bacteriology*, 177 (1995) 10, 2637 – 2643

Kalnenieks, U., De Graaf, A.A., Bringer-Meyer, S., Sahm, H. Oxidative phosphorylation in *Zymomonas mobilis*. *Archives of Microbiology*, 160 (1993) 1, 74 – 79

Bringer-Meyer, S., Sahm, H. Formation of acetyl-CoA in *Zymomonas mobilis* by a pyruvate dehydrogenase complex. *Archives of Microbiology*, 159 (1993) 2, 197 - 199

Sahm, H., Rohmer, M., Bringer-Meyer, S., Sprenger, G.A., Welle, R. Biochemistry and physiology of hopanoids in bacteria. *Advances in Microbial Physiology*, 35 (1993) 247 – 273

Sahm, H., Bringer-Meyer, S., Sprenger, G. The genus *Zymomonas*. *Prokaryotes*, 3 (1992) 2287 – 2301

Klasen, R., Bringer-Meyer, S., Sahm, H. Incapability of *Gluconobacter oxydans* to produce tartaric acid. *Biotechnology and Bioengineering*, 40 (1992) 1, 183 – 186

Bringer-Meyer, S., Sahm, H. Process for obtaining sorbitol and gluconic acid by fermentation, and cell material suitable for this purpose. US Patent 5,017, 1991.- S. 485

Struch, T., Neuss, B., Bringer-Meyer, S., Sahm, H. Osmotic adjustment of *Zymomonas mobilis* to concentrated glucose solutions. Applied Microbiology and Biotechnology, 34 (1991) 4, 518 – 523

Bringer-Meyer, S., Sahm, H. Pyruvate decarboxylase from *Zymomonas mobilis*: properties of the enzyme and catalysis of C-C-bond formation. Biochemistry and physiology of thiamine diphosphate enzymes./eds.: Bisswanger, H., Ullrich, J., VCH Verlagsgesellschaft Weinheim, 1991.- S. 123 – 132

1986 - 1990

Strohdeicher, M., Neuß, B., Bringer-Meyer, S., Sahm, H. Electron transport chain of *Zymomonas mobilis*. Interaction with the membrane-bound glucose dehydrogenase and identification of ubiquinone 10. Archives of Microbiology 154, (1990) 6, 536 – 543

Strohdeicher, M., Bringer-Meyer, S., Neuß, B., van der Meer, R., Duine, J.A. Sahm, H. Glucose dehydrogenase from *Zymomonas mobilis*: evidence for a quinoprotein. PQQ and quinoproteins./eds.: Jongejan, J.A., Duine, J.A., Kluwer, Dordrecht, 1989.-S. 103 – 105

Bringer-Meyer, S., Sahm, H. Junctions of catabolic and anabolic pathways in *Zymomonas mobilis*: Phosphoenolpyruvate carboxylase and malic enzyme. Applied Microbiology and Biotechnology, 31 (1989) 5-6, 529 – 536

Schmidt, A., Bringer-Meyer, S., Poralla, K., Sahm, H. Influence of ethanol on the activities of 3-hydroxy-3-methylglutaryl-coenzyme A-reductase and squalene-hopene-cyclase in *Zymomonas mobilis*. Applied Microbiology and Biotechnology, 30 (1989) 2, 170 – 175

Bringer-Meyer, S., Sahm, H. Metabolic shifts in *Zymomonas mobilis* in response to growth conditions. FEMS Microbiology Reviews, 54 (1988) 2, 131 – 142

Bringer, S., Sahm, H. Fermentation process for the production of fructose from aqueous mixtures of fructose and glucose and *Zymomonas mobilis* mutants which can be used for such fermentation. (1988) US Patent 4,742,006

Strohdeicher, M., Schmitz, B., Bringer-Meyer, S., Sahm, H. Formation and degradation of gluconate by *Zymomonas mobilis*. Applied Microbiology and Biotechnology, 27 (1988) 4, 378 – 382

Bringer-Meyer, S., Sahm, H. Acetoin and phenylacetylcarbinol formation by the pyruvate decarboxylase of *Zymomonas mobilis* and *Saccharomyces carlsbergensis*. Biocatalysis, 1 (1988) 321 – 331

Schepers, H.-J., Bringer-Meyer, S., Sahm, H. Fermentation of D-xylose to ethanol by *Bacillus macerans*. Zeitschrift für Naturforschung, 42c (1987) 401 – 407

Sahm, H., Bringer-Meyer, S. Ethanol-Herstellung mit Bakterien. Chemie Ingenieur Technik, 59 (1987) 9, 695 – 700

Sahm, H., Bringer-Meyer, S. Continuous ethanol production by *Zymomonas mobilis* on an industrial scale. Acta Biotechnologica 7 (1987) 4, 307 – 313

Sahm, H., Bringer-Meyer, S. Ethanol. Ullmann's Encyclopedia of Industrial Chemistry, A9,/ VCH Verlagsgesellschaft Weinheim, 1987.- 605 - 609

Schmidt, A., Bringer-Meyer, S., Poralla, K., Sahm, H. Effect of alcohols and temperature on the hopanoid content of *Zymomonas mobilis*. Applied Microbiology and Biotechnology, 25 (1986) 1, 32 - 36

Bringer-Meyer, S., Schimz, K.-L., Sahm, H. Pyruvate decarboxylase from *Zymomonas mobilis*. Isolation and partial characterization. Archives of Microbiology, 146 (1986) 2, 105 – 110

1979 - 1985

Bringer, S., Härtner, T., Poralla, K., Sahm, H. Influence of ethanol on the hopanoid content and the fatty acid pattern in batch and continuous cultures of *Zymomonas mobilis*. Archives of Microbiology, 140 (1985) 4, 312 – 316

Bringer-Meyer, S., Scollar, M., Sahm, H. *Zymomonas mobilis* mutants blocked in fructose utilization. Applied Microbiology and Biotechnology, 23 (1985) 2, 134 – 139

Finn, R.K., Bringer, S., Sahm, H. Fermentation of arabinose to ethanol by *Sarcina ventriculi*. Applied Microbiology and Biotechnology, 19 (1984) 3, 161 – 166

Bringer, S., Finn, R.K., Sahm, H. Effect of oxygen on the metabolism of *Zymomonas mobilis*. Archives of Microbiology 139 (1984) 4, 376 – 381

Bringer, S., Durst, E., Sahm, H., Finn, R.K. Studies on growth and product formation of an arabinose-utilizing strain of *Sarcina ventriculi*. Biotechnology and Bioengineering Symposium, 14 (1984) 269 – 278

Bringer, S., Sahm, H., Swyzen, W. Ethanol production by *Zymomonas mobilis* and its application on an industrial scale. Biotechnology and Bioengineering Symposium, 14 (1984) 311 – 319

Bringer, S., Bochem, H.-P., Sprey, B., Sahm, H. Microbodies in the brown-rot fungus *Poria contigua*. Zentralblatt fuer Bakteriologie, Mikrobiologie und Hygiene, Abt. 1, Originale C: Allgemeine, Angewandte und Oekologische Mikrobiologie, (1980) 193 - 199

Bringer, S., Sprey, B., Sahm, H. Purification and properties of alcohol oxidase from *Poria contigua*.
European Journal of Biochemistry, 101 (1979) 2, 563 - 570